

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5675752").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 10:46
L2	2	("5,949,415").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 10:46
S1	1731	(709/224).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:54
S2	721	(709/250).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 15:24
S3	302	(714/45).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 15:24
S4	583	(714/48).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 15:24
S5	240	(714/57).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 15:24
S6	434	(719/328).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 15:25
S7	262	(719/321).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 15:25
S8	194	((709/224).CCLS.) and (hook\$4 or intercep\$5)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 16:36

S9	473	((709/224).CCLS.) or ((709/250).CCLS.) or ((714/45).CCLS.) or ((714/48).CCLS.) or ((714/57).CCLS.) or ((719/328).CCLS.) or ((719/321).CCLS.)) and (hook\$4 or intercep\$5)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 16:40
S10	0	((709/224).CCLS.) or ((709/250).CCLS.) or ((714/45).CCLS.) or ((714/48).CCLS.) or ((714/57).CCLS.) or ((719/328).CCLS.) or ((719/321).CCLS.)) and (hook\$4 or intercep\$5) and (monitor) adj3 utility	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 16:41
S11	36	((709/224).CCLS.) or ((709/250).CCLS.) or ((714/45).CCLS.) or ((714/48).CCLS.) or ((714/57).CCLS.) or ((719/328).CCLS.) or ((719/321).CCLS.)) and (hook\$4 or intercep\$5) and (monitor) adj3 computer	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:24
S12	1	((709/224).CCLS.) or ((709/250).CCLS.) or ((714/45).CCLS.) or ((714/48).CCLS.) or ((714/57).CCLS.) or ((719/328).CCLS.) or ((719/321).CCLS.)) and ("Microsoft corp").as.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:28
S13	2	"6381632".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:39
S14	1	"6189030".PN.	USPAT	OR	OFF	2004/05/13 18:29
S15	1	"6148336".PN.	USPAT	OR	OFF	2004/05/13 18:29
S16	1	"6138155".PN.	USPAT	OR	OFF	2004/05/13 18:29
S17	1	"6122657".PN.	USPAT	OR	OFF	2004/05/13 18:32
S18	1	"6108637".PN.	USPAT	OR	OFF	2004/05/27 13:33
S19	1	"6018619".PN.	USPAT	OR	OFF	2004/05/13 18:33
S20	1	"5987611".PN.	USPAT	OR	OFF	2004/05/13 18:33
S21	1	"5918014".PN.	USPAT	OR	OFF	2004/05/13 18:33
S22	1	"5915243".PN.	USPAT	OR	OFF	2004/05/13 18:33
S23	1	"5884033".PN.	USPAT	OR	OFF	2004/05/13 18:33
S24	1	"5878384".PN.	USPAT	OR	OFF	2004/05/13 18:33
S25	1	"5867651".PN.	USPAT	OR	OFF	2004/05/13 18:34
S26	1	"5867651".PN.	USPAT	OR	OFF	2004/05/13 18:34
S27	1	"5857190".PN.	USPAT	OR	OFF	2004/05/13 18:34
S28	1	"5848396".PN.	USPAT	OR	OFF	2004/05/13 18:34
S29	1	"5835722".PN.	USPAT	OR	OFF	2004/05/13 18:35

S30	1	"5819156".PN.	USPAT	OR	OFF	2004/05/13 18:35
S31	1	"5781909".PN.	USPAT	OR	OFF	2004/05/13 18:35
S32	1	"5778182".PN.	USPAT	OR	OFF	2004/05/13 18:35
S33	1	"5752159".PN.	USPAT	OR	OFF	2004/05/13 18:36
S34	1	"5727129".PN.	USPAT	OR	OFF	2004/05/13 18:36
S35	1	"5724424".PN.	USPAT	OR	OFF	2004/05/13 18:36
S36	1	"5715314".PN.	USPAT	OR	OFF	2004/05/13 18:36
S37	1	"5712979".PN.	USPAT	OR	OFF	2004/05/13 18:36
S38	1	"5710884".PN.	USPAT	OR	OFF	2004/05/13 18:37
S39	1	"5708780".PN.	USPAT	OR	OFF	2004/05/13 18:37
S40	1	"5675510".PN.	USPAT	OR	OFF	2004/05/13 18:37
S41	1	"5654905".PN.	USPAT	OR	OFF	2004/05/13 18:38
S42	1	"5642485".PN.	USPAT	OR	OFF	2004/05/13 18:38
S43	1	"5524238".PN.	USPAT	OR	OFF	2004/05/13 18:38
S44	1	"5483276".PN.	USPAT	OR	OFF	2004/05/13 18:39
S45	1	"5235414".PN.	USPAT	OR	OFF	2004/05/13 18:39
S46	1	"4319326".PN.	USPAT	OR	OFF	2004/05/13 18:39
S47	2	"5375199".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:44
S48	4510	monitor adj3 (usage or "computer usage" or program\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:44
S49	140	monitor adj3 (usage or "computer usage" or program\$2) and "productivity"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:45
S50	0	monitor adj3 (usage or "computer usage" or program\$2) and "productivity" near2 classification	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:45
S51	1	monitor adj3 (usage or "computer usage" or program\$2) and "productivity" same classification	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:47
S52	6041	monitor adj3 (usage or "computer usage" or program\$2 or application\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:58
S53	11	monitor adj3 (usage or "computer usage" or program\$2 or application\$2) and "Microsoft corp".as.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 19:02

S54	0	"task manager" and "Microsoft corp".as.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 19:08
S55	23	(monitor) adj2 (program or application) adj2 (usage\$2 or event\$2 or productivity)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 19:35
S56	2	"5675510".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:25
S57	2382	application adj2 group\$5	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:26
S58	448	application adj2 group\$5 and text	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:27
S59	96	application adj2 group\$5 and text and classif\$7	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:27
S60	0	(application adj2 group\$5 and text) near3 classif\$7	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:27
S61	1	(application adj2 group\$5 and text) same classif\$7	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:28
S62	3096	classif\$4 with application\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:36
S63	758	(parent or child) adj3 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:37
S64	0	(parent or child) adj3 window and application near2 classif\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:37
S65	18	(parent or child) adj3 window and application same classif\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:39

S66	87	parent adj2 window and list near3 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 21:40
S67	36	window adj2 idle	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:32
S68	318	"classification table"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:32
S69	143	"classification table" and application	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:33
S70	182	"classification table" and (application and application group)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:33
S71	0	"classification table" and (application and "application group")	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:33
S72	429	(parent or child) adj3 window and list	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:35
S73	26	(parent or child) adj3 window near2 list	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:40
S74	0	(parent adj3 window) near2 list and (detect or find) near2 "child window"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:41
S75	0	(parent adj3 window) near2 list and (detect\$4 or find) near2 "child window"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:41
S76	0	(parent adj3 window) near2 list and (detect\$4 or find\$4) near2 "child window"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:41
S77	0	(parent adj3 window) near2 list and (detect\$4 or find\$4) near2 child adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:41

S78	0	(parent adj3 window) near2 list and (detect\$4 or find\$4) same child adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:41
S79	0	(parent adj3 window) near2 list and (detect\$4 or find\$4) with child adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:41
S80	0	parent adj3 window near2 list and (detect\$4 or find\$4) with child adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:50
S81	803	computer adj2 usage	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:50
S82	11	computer adj2 usage and monitor near2 programs	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:51
S83	73	(709/224) and (check\$4 or determin\$4) near2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:55
S84	1	(709/224) and (check\$4 or determin\$4) near2 "active window"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:56
S85	57	(check\$4 or determin\$4) near2 "active window"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 10:57
S86	14	(check\$4 or determin\$4) near2 "active window" and (indicator or alert or alarm)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/17 11:02
S87	1745603	microsoft corp.as.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/17 11:03
S88	5104	("microsoft corp").as.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/17 11:03
S89	6	("microsoft corp").as. and productivity	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/17 11:03

S90	114	("microsoft corp").as. and task	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/17 14:30
S91	1739	(709/224).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:02
S92	11	((709/224).CCLS.) and (active or parent) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:05
S93	1	((709/224).CCLS.) and (active or parent) adj2 window and threshold	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:07
S94	1	idle adj2 window and callback	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:07
S95	618	(re\$start) adj2 (program)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:22
S96	976	(re\$start\$4) adj2 (program)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:23
S97	29	(re\$start\$4) adj2 (main or protection) adj3 (program)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:26
S98	0	(re\$start\$4) adj2 (main and protection) adj3 (program)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:30
S99	409	(idle) near2 counter	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:30
S10 0	13	(idle) near2 counter and monitor near2 computer	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:31
S10 1	25	(idle) near2 counter and monitor\$4 near2 computer	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:38

S10 2	696	(714/47).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:38
S10 3	4	((714/47).CCLS.) and idle near2 counter	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:47
S10 4	0	(check\$4 or look\$4) near2 (parent or active) adj2 window and idle	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:48
S10 5	34	(check\$4 or look\$4) near2 (parent or active) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:50
S10 6	45	(check\$4 or look\$4) adj3 (parent or active) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:50
S10 7	10	(check\$4 or look\$4) adj3 (parent or active) adj2 window and idle	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:50
S10 8	0	(check\$4 or look\$4) adj3 (parent or active) adj2 window same idle	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:50
S10 9	0	(check\$4 or look\$4) adj3 (parent or active) adj2 window with idle	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:51
S11 0	1	(check\$4 or look\$4) adj3 (parent or active) adj2 window with (idle or in\$active)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 11:51
S11 1	9	(check\$4 or look\$4) adj3 (parent or active) adj2 window and (idle or in\$active) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 14:03
S11 2	1	(check\$4 or look\$4) adj3 (parent or active) adj2 window and (idle or in\$active) adj2 window and threshold	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:42
S11 3	2	(check\$4 or look\$4) adj3 (parent or active) adj2 window and (idle or in\$active) adj2 window and (threshold or "idle time")	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 14:07

S11 4	2	"5949415".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 17:19
S11 5	212	idle near2 (indicator or message or alarm or alert) and threshold	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:43
S11 6	17	idle near2 (indicator or message or alarm or alert) same threshold	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:44
S11 7	228	idle same (indicator or message or alarm or alert) same threshold	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:44
S11 8	101	idle with (indicator or message or alarm or alert) same threshold	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:44
S11 9	13	idle adj2 (indicator or message or alarm or alert) same threshold	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:46
S12 0	569	idle adj2 (indicator or message or alarm or alert)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:46
S12 1	3	idle adj2 (indicator or message or alarm or alert) near2 program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:53
S12 2	136	idle adj2 (indicator or message or alarm or alert) and (below or less) adj3 (threshold or time or criteria)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:54
S12 3	2	idle adj2 (indicator or message or alarm or alert) with (below or less) adj3 (threshold or time or criteria)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 16:54
S12 4	2	count\$4 near3 usag\$4 same keyboard same mouse	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 17:53
S12 5	15	idle adj window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 17:55

S12 6	225	(idle or inactive) adj window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 17:55
S12 7	48	(idle or inactive) adj window same (time or counter or threshold)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:12
S12 8	47	inactive adj2 (mouse or keyboard or "input device")	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:12
S12 9	1	inactive adj2 (mouse or keyboard or "input device") same counter	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:13
S13 0	0	inactive adj2 (mouse or keyboard or "input device") and (idle or inactive) near2 counter	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:13
S13 1	94	(parent or child) adj window and list near2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:37
S13 2	6	(parent or child) adj window and list near2 window and (poll or check) near3 window with system	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:38
S13 3	6	(parent or child) adj window and list near2 window and (poll or check) near2 system	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:39
S13 4	13	(check or poll) adj3 list and (parent or child) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:44
S13 5	0	(check or poll) adj list and (parent or child) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:40
S13 6	13	(check or poll) adj2 list and (parent or child) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 18:40
S13 7	16	(check or poll) adj3 (list or program) and (parent or child) adj2 window	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 20:19

S13 8	548	protection adj2 program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 20:25
S13 9	9	protection adj2 program same re\$start\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 20:46
S14 0	2983	(start or stop) adj program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 20:46
S14 1	610	(start or stop) adj program and (main or protection or first or second\$4) adj program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 20:47
S14 2	271	(start or stop) adj program and (main or protection or first or second\$4) adj program and monitor	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 20:47
S14 3	359	(start or stop) adj program and (main or protection or first or second\$4) adj program and monitor\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 20:47
S14 4	55	(start or stop) adj program and (main or protection or first or second\$4) adj program and monitor\$4 adj program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 11:32
S14 5	1093	classification near3 table	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 11:25
S14 6	11	classification near3 table and computer near3 monitor	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 11:32
S14 7	55	(start or stop) adj program and (main or protection or first or second\$4 or another) adj program and monitor\$4 adj program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 11:32
S14 8	61	(start or stop) adj program and (main or protection or first or second\$4 or another or new) adj program and monitor\$4 adj program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 13:39
S14 9	411	mutex	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 13:39

S15 0	4	mutex and monitor adj2 program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 13:41
S15 1	331	(718/106).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 13:41
S15 2	11	((718/106).CCLS.) and mutex	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 14:48
S15 3	0	((718/106).CCLS.) and mutex adj4 (open or close)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 14:48
S15 4	3	mutex adj4 (open or close)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 14:49
S15 5	192	mutex and (open or close)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 14:49
S15 6	20	mutex same (open or close)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/24 14:49
S15 7	9144	(parallel or second\$4 or another) adj2 program	USPAT	OR	OFF	2004/05/27 14:30
S15 8	9390	(parallel or second\$4 or another or protection) adj2 program	USPAT	OR	OFF	2004/05/27 14:30
S15 9	4903	(parallel or second\$4 or another or protection) adj program	USPAT	OR	OFF	2004/05/27 14:30
S16 0	788	(parallel or second\$4 or another or protection) adj program and re\$start\$4	USPAT	OR	OFF	2004/05/27 14:30
S16 1	35	(parallel or second\$4 or another or protection) adj program same re\$start\$4	USPAT	OR	OFF	2004/05/27 14:31
S16 2	2	"6026499".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 15:32
S16 3	2	"5675510".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 15:37

S16 4	47	alert same "user profile"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:13
S16 5	377	(check\$4) and (periodic or multiple) adj interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:14
S16 6	0	(check\$4) near4 (condition\$2) near2 (periodic or multiple) adj interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:15
S16 7	8	(check\$4) near4 (periodic or multiple) adj interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:16
S16 8	1	(check\$4) near4 (information\$2 or condition\$2) near4 (periodic or multiple) adj interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:17
S16 9	4	(check\$4) near4 (information\$2 or condition\$2) with (periodic or multiple) with interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:17
S17 0	219	(check\$4) same (information\$2 or condition\$2) same (periodic or multiple) same interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:18
S17 1	44	(check\$4) same (information\$2 or condition\$2) same (periodic or multiple) with interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:23
S17 2	14	(check\$4) same (information\$2 or condition\$2 or events) with (periodic or multiple) with interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:25
S17 3	9	(periodic or multiple) near2 (check\$4) near2 (event\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S17 9	115	((determin\$4 or montior\$4) same expirat\$4 same window and @ad<="19991026"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:02
S18 0	6	((determin\$4 or montior\$4) same expirat\$4 same window).ab. and @ad<="19991026"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:02

S18 1	2227	(709/224).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 2	848	(709/250).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 3	358	(714/45).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 4	709	(714/48).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 5	274	(714/57).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 6	531	(719/328).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 7	318	(719/321).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 8	4972	S181 or S182 or S183 or S183 or S184 or S185 or S186 or S187	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:05
S18 9	2	("5799304").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:18
S19 0	2	("6065138").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 20:36

S19 1	5625	(monitor\$4) same (user or client) same (activity or action) and @ad<="19991026"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 20:36
S19 2	2076	(monitor\$4) with (user or client) with (activity or action) and @ad<="19991026"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 20:37
S19 3	33	(monitor\$4) with (user or client) with (activity or action) same "log file" and @ad<="19991026"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:56